

Prepared for:
Real NY CBD

2715 Tonawanda Creek Rd
Amherst, NY USA 14226

2650mg Salve Stick

Batch ID or Lot Number: RN2XS23013	Test: Potency	Reported: 15Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000246286	Started: 13Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	15.546	49.728	ND	ND	# of Servings = 1, Sample Weight=80.1g
Cannabichromenic Acid (CBCA)	14.219	45.484	ND	ND	
Cannabidiol (CBD)	49.210	145.660	3028.170	37.80	
Cannabidiolic Acid (CBDA)	50.472	149.397	ND	ND	
Cannabidivarin (CBDV)	11.639	34.450	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	21.054	62.321	ND	ND	
Cannabigerol (CBG)	8.826	28.234	43.610	0.50	
Cannabigerolic Acid (CBGA)	36.898	118.029	ND	ND	
Cannabinol (CBN)	11.515	36.834	ND	ND	
Cannabinolic Acid (CBNA)	25.174	80.527	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	43.959	140.615	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	39.922	127.704	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	35.371	113.146	ND	ND	
Tetrahydrocannabivarin (THCV)	8.028	25.681	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	31.199	99.799	ND	ND	
Total Cannabinoids			3071.780	38.30	
Total Potential THC			0.000	0.00	
Total Potential CBD			3028.170	37.80	

Final Approval



Karen Winternheimer
15Jun2023
12:00:00 PM MDT

PREPARED BY / DATE



Sam Smith
15Jun2023
12:02:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2a0f035b-6370-4807-a33b-e0134c71876a>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2a0f035b63704807a33be0134c71876a.1