

Prepared for:
Real NY CBD

2715 Tonawanda Creek Rd
Amherst, NY USA 14226

500mg .5oz Salve Stick

Batch ID or Lot Number: RNS23076	Test: Potency	Reported: 23Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000246833	Started: 22Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	3.606	10.029	ND	ND	# of Servings = 1, Sample Weight=15.4g
Cannabichromenic Acid (CBCA)	3.298	9.173	ND	ND	
Cannabidiol (CBD)	8.879	25.627	514.770	33.40	
Cannabidiolic Acid (CBDA)	9.107	26.284	ND	ND	
Cannabidivarin (CBDV)	2.100	6.061	ND	ND	
Cannabidivarinic Acid (CBDVA)	3.799	10.964	ND	ND	
Cannabigerol (CBG)	2.047	5.694	ND	ND	
Cannabigerolic Acid (CBGA)	8.558	23.804	ND	ND	
Cannabinol (CBN)	2.671	7.429	ND	ND	
Cannabinolic Acid (CBNA)	5.839	16.241	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	10.196	28.360	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	9.260	25.756	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	8.204	22.820	ND	ND	
Tetrahydrocannabivarin (THCV)	1.862	5.179	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	7.236	20.128	ND	ND	
Total Cannabinoids			514.770	33.40	
Total Potential THC			0.000	0.00	
Total Potential CBD			514.770	33.40	

Final Approval



Karen Winternheimer
23Jun2023
11:02:00 AM MDT

PREPARED BY / DATE



Sam Smith
23Jun2023
11:04:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/05f0253f-3e2e-4d1a-acf9-41a5549884ab>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
05f0253f3e2e4d1aacf941a5549884ab.1